
# **Taping Dimensions**

### Minimum Quantity Guide

Part Number	Quantity (pcs.)	
	Paper Tape	Embossed Tape
NCP03	15000	
NCP15, NCU15	10000	-
NCP18, NCU18	4000	
NCP21	-	4000


# Tape Carrier Packaging

#### 1. Dimensions of Reel



#### 2. Taping Method

- (1) A tape in a reel contains Leader unit and Trailer unit where products are not packed. (Please refer to the figure at the right.)
- (2) The top and base tapes or plastic and cover tape are not stuck at the first five pitches minimum.
- (3) A label should be attached on the reel. (MURATA's part number, inspection number and quantity should be marked on the label.)
- (4) Taping reels are packed in a package.




Continued on the following page.  ${\cal J}$ 

# **Taping Dimensions**

Continued from the preceding page.

#### 3. Paper Tape (NCP03/15/18 Series, NCU15/18 Series)



#### (1) Other Conditions


#### (a) Packaging

Products are packaged in the cavity of the base tape and sealed by a top tape and bottom tape.

### (b) Tape

The top tape and bottom tape have no joints and products are packaged and sealed in the cavity of the base tape, continuously.

#### (2) Peeling Force of Top Tape



### (3) Pull Strength

Pull strength of top tape is specified at 10N minimum.
Pull strength of bottom tape should be specified 5N minimum.

Continued on the following page. 7

# **Taping Dimensions**


Continued from the preceding page.

- 4. Embossed Tape (NCP21 Series)
- (1) Other Conditions
  - (a) Packaging


Products are packaged in the each cavity of Embossed tape and sealed by Cover tape.

(b) Tape

Cover tape has no joints.



(2) Peeling Force of Cover Tape



- \* 1 Peeling angle: 165 to 180° against the fixed surface of tape.
- \* 2 Peeling speed: 300mm/min.
- \* 3 Peeling force: 0.1 0.7N

(3) Tape Strength
Pull strength of Embossed tape and Cover tape should be
specified 10N minimum.