

MA300D1-1

This item is specialized products in paper double feeding detection.


In Production

Recommended

RoHS

REACH

Appearance & Shape



Packaging Information

| Packaging | Specifications | Standard Packing Quantity |
|-----------|----------------|---------------------------|
| - | Box | 540 |

Features

- 1. Short ringing time
- 2. Wide bandwidth & quick response

Attention
1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
2.This datasheet has only typical specifications because there is no space for detailed specifications.
Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

MA300D1-1



Specifications

| | |
|-----------------------------|--|
| Operating Temperature Range | -20°C to 70°C |
| Construction | High frequency type |
| Center Frequency | 300kHz |
| Overall Sensitivity | 1.5~4.0Vp-p |
| Directivity | 5deg.(Reference Value) |
| Capacitance | 1300pF |
| Capacitance Tolerance | ±20% |
| Max. Input Voltage | 50Vp-p Drive wave number:5 cycles, Drive cycle:300Hz |

Attention

1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.


2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

MA300D1-1



Product Data



Directivity in Sensitivity

Attention

1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.