

Troduct oddron Buta one

Note: This datasheet may be out of date.

Please download the latest datasheet of PKGS-00LDP1-R from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=PKGS-00LDP1-R

PKGS-00LDP1-R









Applications

Applications these "Precautions for use." HDD Please refer to Our Website and specifications, etc. for information about the performance, functions, quality, management, and safety required for the above applications, and use	Unsuitable	Please be sure to read and comply with	
Please refer to Our Website and specifications, etc. for information about the performance, functions, quality, management, and safety required for the above applications, and use	Applications	these "Precautions for use."	
performance and reliability of the actual Product	Specific	HDD Please refer to Our Website and specifications, etc. for information about the performance, functions, quality, management, and safety required for the above applications, and use Products after confirming the performance and reliability of the actual	




Packaging Information

Packaging	Specifications	Standard Packing Quantity
R	180mm Embossed Tape	2000



Appearance & Shape





1 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

 $2. This \ data{sheet has only typical specifications because there is no \ space for \ detailed \ specifications.}$

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





PKGS-00LDP1-R

Note: This datasheet may be out of date.

Please download the latest datasheet of PKGS-00LDP1-R from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=PKGS-00LDP1-R



Specifications

Operating Temperature Range	-40°C to 85°C
Primary Axis Inclined Angle	0°
Sensitivity(typ.)	0.84pC/G
Capacitance(typ.)	770pF
Insulation Resistance(min.)	500ΜΩ
Non-linearity(typ.)	1%
Shock Resistance	1500G (0.5ms duration)
Sensitivity Type	Electric charge sensitivity type
Resonance Frequency	20kHz
Storage Temperature Range	-40°C to 85°C

2 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.




PKGS-00LDP1-R


Note: This datasheet may be out of date.

Please download the latest datasheet of PKGS-00LDP1-R from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=PKGS-00LDP1-R







Freq. Characteristics

Primary axis inclined angle

3 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

