DM-3100x



Murata Power Soluti

3-1/2 Digit Micropowered LCD Digital Panel Meter

Discontinued

FEATURES

- Ultra-low power, 3 mA from 9V battery, short depth case
- .5" high Liquid Crystal Display
- 3½ digits, 5V or 9-15V powered, ratiometric reference for drift correction
- Balanced differential inputs, 5 pA bias current, autozeroing with 80 db CMR noise rejection
- 1000 M Ω CMOS high impedance inputs, ±1.999 Vdc FS range

Internal user-options:

GENERAL DESCRIPTION

by jumpering appropriate pins.

circuits which eliminate zero drift.

- 1. Accepts shunts for $\pm 20 \ \mu A$ to $\pm 2A$ FS ranges
- 2. Accepts attenuators for ±2V to ±1KV FS ranges

The DM-3100X is a 3½ Digit Liquid Crystal Display (LCD) Digital

Panel Meter that uses extremely low power (+5V@6mA or +9V@

3 mA) and has a power voltage range of +4V to +15 Vdc. The large

0.5" display can be seen from many feet away under normal room

lighting conditions. This DPM is contained in a short depth case

which measures only 2.15" (54,6 mm) deep. Besides measuring

dc voltages, components can be internally placed to make ohm

and current readings possible along with attenuators to measure

higher voltages. Also, the decimal point can be internally selected

The versatility of this meter is further enhanced by its autozeroing

This DPM accepts a dc or slowly varying input voltage be-

tween ±1.999V and displays that input on front panel numerical indicators. It employs a conventional dual-slope A/D converter plus 7 segment display decoder-drivers all in

one LSI microcircuit. Since this microcircuit requires ap-

proximately 9V to power the A/D section, an internal DC/DC

converter generates -5V from +5V power input. Together

these two voltage sources form a bipolar power supply to

3. Digital ohmmeter, 2KQ to 10 MQ. FSR




NOTE: DPM's are normally supplied without Bezel Labels or Logos.

power the A/D-converter. The DM-3100X may also be powered directly from a single 9V battery @ 3 mA without using the DC/DC converter.

Another feature of the DM-3100X is that it employs a balanced differential input. When used with a bridge or transducer input, it offers high noise immunity and can accurately measure very small signals in the presence of much larger common mode noise. Another characteristic of this balanced differential input is that it will not load down sensitive input circuits due to its high input impedance of 1000 megohms, and low 5 pA bias current.

A very noteworthy feature of this meter is that it can be operated ratiometrically. This means that it has internal circuits that can automatically compensate for reference drifts in the supplies of balanced bridge or transducer sensors and still give accurate readings.

The DM-3100X finds use in analytical instruments, industrial process controllers, portable diagnostic instruments, automatic test equipment, medical and patient monitoring instruments, airborne, marine, and ground vehicles, and data acquisition/data logging systems.



SIMPLIFIED BLOCK DIAGRAM

muRata Ps Murata Power Solutions

DM-3100x 3-1/2 Digit Micropowered LCD Digital Panel Meter

SPECIFICATIONS (Typical at +25° C, unless noted)

ANALOG INPUT Configuration

True-balanced differential bipolar Full Scale Input Range -1.999 Vdc to +1.999 Vdc. Input pad area will

accept user-installed range change Input Bias Current 5 pA typical, 50 pA maximum Displayed Accuracy @ +25° C Adjustable to ±0.1% of reading, ±1 count Resolution

1 mV

Temperature Drift of Zero

Autozeroed ±1 count over 0 to +50° C Temperature Drift of Gain ±50 ppm of Reading/°C typ. ±100 ppm of Reading/°C max.

Input Impedance

100 Megohms, minimum

Input Overvoltage ±250 Volts dc 175 VRMS continuous max. ±300 Volts intermittent max.

Common Mode Rejection

80 dB, DC to 60 Hz, 1 Kilohm unbalance

Common Mode Voltage Range

Within +Vs - .5V and -Vs +1V where +Vs is the positive rail (Pin A 17) and -Vs is the negative rail (Pin B16). -Vs is approximately equal to -5V below PWR. COM.

Reference

Internal, referred to the negative rail (-Vs). External, user-supplied reference optional for ratiometric operation.

External Ref. Range

+100 mV to +2V, referred to -Vs. Ramp-up Time (Integration Period) 83.3 mS

DISPLAY

Number of Digits 3 decimal digits and most significant "1" digit

(31/2 digits)

Decimal Points Selectable decimal points are included for scale multipliers.

Display Type Field effect liquid crystal displays (LCD) requiring room light for viewing. Black digits against a light background

Display Height 0.5 inches (12.7 mm)

Overscale

Inputs exceeding the full scale range blank the display, leaving a "1" MSD and sign

Autopolarity

A minus sign is automatically displayed for negative inputs, and may also be blanked

Sampling Rate

Factory set at 3 conversions per second. May be rewired up to 20 conversions/second.

I/O CONNECTIONS Analog HI Input (Pin A4 Analog LO Input (Pin A2)

Differential input voltages are connected between these inputs. A bias current path to POWER COMMON (if 5V-powered) or ANALOG RETURN from both these inputs must be externally provided. External circuits must constrain these inputs to be within the common mode voltage range.

Analog Return (Pin A1)

This pin may be used as a low-noise bias current for some floating inputs. If not possible, inputs may be referenced to POWER COMMON (if 5V-powered). Analog Return is approximately -2.8V below +Vs and can sink 30 mA to -Vs.

Reference In/Out (Pins B6/A6) Normally, REF. IN and REF. OUT should be jumpered together. An external floating source referred to EXT. REF. LO (Pin B16) may be substituted for ratiometric operation.

Decimal Points Connect selected pin to DECIMAL POINT COMMON (Pin B13). See Backplane Out.

Display Test (Pin B14) Connect this input to Pin A17 or +Vs to test all display segments

Horizontal Polarity In (Pin B15)

Horizontal Polarity Out (Pin B9) Normally these inputs are jumpered together to continuously display the horizontal portion of the polarity sign. Omit the jumper for applications not requiring sign display. See Backplane Out

Vertical Polarity In (Pin B17)

Vertical Polarity Out (Pin B18) Jumper these inputs when HORIZ. POL. is jumpered for automatic sign display with bipolar inputs. For reverse sensing applications, VERT. POL. OUT may be jumpered to HORIZ. POL. IN (no other connections). This will display a minus sign with positive inputs and no sign (implied positive) with negative inputs. See Backplane Out

Ohms Lo (Pin B2)

This connection is used in the ohmmeter configuration, otherwise do not use.

Backplane Out (Pin A13)

Connect all unused Polarity, and Decimal Points to Backplane Out. For VOM or DVM applications, a 470 k resistor may be used for each Decimal Point. A rotary switch pole to B13 will then select the desired Decimal Point.

POWER CONNECTIONS A/D Power IN (Pin A17)

Connect this pin to +5 Vdc regulated to power the A/D converter and displays. Connect to +9V for 9V configuration.

5V DC/DC Power Common (Pin A16) Use only for the 5V power configuration. This provides power return for the DC/DC converter

5V DC/DC Power IN (Pin A18)

DM-31002

RN-3100/

Connect to +5V if a single +5V supply is to be used. This will power the DC/DC converter to generate -5V. Don't use this pin in the 9V power configuration.

PHYSICAL	-ENVIE	RONME	INTAL

Short-Depth Case Interchangeable with other Datel-Intersil

cases

Outline Dimensions

3.00"W × 2.15"D × 1.76"H (76,2 × 54,6 × 44,7 mm)

Cutout Dimensions

1.812"H × 3.062"W (46,0 × 77,7 mm) Mounting Method

Through a front panel cutout secured by (4) 4-40 front access screws which are concealed by the bezel.

Weight

Approximately 5 ounces (142g)

Connector

Double-sided edgeboard PC type, solder tab. gold-plated fingers, Dual 18-pin, 0.100" centers, Datel-Intersil #58-2075010, (not included)

Mounting Position Anv

Operating Temperature Range 0 to +50° C

Storage Temperature Range * 0° C to +55° C *WARNING: Avoid long exposure to high temperatures, store at room temperature. Altitude

0 to 15,000 feet (4600m)

Relative Humidity

20% to 80% non-condensing

Calibration

A multiturn screwdriver pot adjusts the full scale reading (gain). Zero is automatic (autozeroing). Suggested recalibration in stable conditions is 90 days.

CAUTION: Observe CMV range limits on single - supply applications referred to PIN B16. Differential input mode or battery power is preferred. Contact Datel for assistance.

POWER PIN CONNECTIONS

Configuration (DC/DC Converter On) 5V	A17 + 5 Vdc	A18 Conn. to A17	A16 Power Common	B16 Do Not Use	Signai Ground Grouñd = A16 (Single-ended configuration must use A16) OR Ground = A1 (Differential Only)	Consumption 12 mA typ. 15 mA max.
(DC/DC Converter Off) 9V	+ 9 Vdc	No. Conn.	No Conn.	Power Common	Ground = B16 or A1 (Both inputs must be differential using either ground.)	8 mA typ. 9 mA max.
12V	+ 12 Vdc	•	•		•	12 mA typ. 15 mA max.
15V	+ 15 Vdc	•	٠	•		18 mA typ. 20 mA max.

Discontinued

<u>muRata</u> Ps Murata Power Solutions

DM-3100x

3-1/2 Digit Micropowered LCD Digital Panel Meter


DM-3100X COMPONENT LOCATIONS*

Discontinued

*Refer to DATEL RN3100/4100 Range-Change Accessory Kit data sheet for detailed modification instructions and R1 and R2 locations


NOTES:

- (1) R1, R2 ARE USER-INSTALLED ATTENUATION OR (R2) SHUNT RESISTORS. BEFORE INSTALLING RESISTORS AT R1, OPEN SOLDER GAP (SG1) ON COMP. SIDE OF BOARD WITH A SOLDERING IRON. NOTE THAT, IF R1 IS LATER REMOVED, THE USER MUST CLOSE THE SOLDER GAP.
- (2) R1 AND R2 FOR VOLTAGE RANGES ARE RN60C EXCEPT 'RN70C. CURRENT SHUNTS SHOULD BE 1%, 10 PPM/°C OR BETTER. 1W AND 1/4W RESISTORS MAY NOT FIT FLUSH TO BOARD.
- (3) CONNECT ALL UNUSED DECIMAL POINTS TO BACKPLANE OUT (PIN A13).



USER-INSTALLED ATTENTUATION OR SHUNT RESISTORS, R1 AND R2 R1 IS SHORTED WITH A JUMPER OR SOLDER GAP 1 WHICH MUST BE OPENED BEFORE USING R1.

INPUT/OUTPUT CONNECTIONS WITH SINGLE-ENDED INPUT




NOTES

- 1. This shows the connector rear view with the OPM tilted on its side
- on its side. 2. CAUTION: This DPM employs high impedance CMOS inputs. Although internal protection is provided for several hundred volt overloads, this DPM will be destroyed by kilovolts of static discharge which is especially prevalent in low humdity environments. Always handle the DPM with ground protection.
- 3. ANALOG RETURN = +Vs 2.8 Vdc.
- Connect all unused Decimal Points to BACKPLANE OUT (Pin A13).
- 5. A17 and A18 are internally connected.

www.murata-ps.com/support

Hold Meter in DISPLAY TEST no longer than 1 minute to prevent damage to display.




R6 MAY BE TRIMMED FOR EXACTLY 48 KH2 on IC PIN 38 (MEASURE WITH LOW CAPACITY PROBE) FOR BEST 60 H2 NOISE REJECTION FOR 50 H2 USE 120pF AT C5 AND RETIN R6 REDUCE R6 FOR FASTER SAMPLING.

muRata Ps Murata Power Solutions




3-1/2 Digit Micropowered LCD Digital Panel Meter

MECHANICAL DIMENSIONS INCHES (MM)



DWG. C-1561-4



www.murata-ps.com/support

DM-3100x

<u>muRata</u> Ps Murata Power Solutions

3-1/2 Digit Micropowered LCD Digital Panel Meter

DIFFERENTIAL INPUT WITH SAMPLE RATIOMETRIC CONNECTIONS


The DM-3100X has a reference in-out loop which makes possible ratiometric measurements. Representative connections are illustrated below. Ratiometric operation eliminates changes in the DPM reading due to voltage variations in the Bridge's external excitation source. The input gain on the DM-3100X varies inversely with voltage at Reference In — as REF IN voltage increases, meter gain decreases. Meter input gain thus can be made to compensate for variations in the bridge excitation source voltage. (The DPM is set for unity gain when REF IN V equals +1V as referred to EXT. REF. LO).

For all applications, $V_{IN} = 2 V_{REF}$ at full scale (1999 counts). For small values of V_{REF} (100 mV or lower), increased display noise, nonlinearity, rollover and CMR errors will be apparent. Avoid V_{REF} inputs beyond about 2V to prevent integrator satu-

ration with full scale inputs. Variable VREF is not intended for wide gain changes as in multimeter applications. Instead, it should be used for drift correction, scaling to engineering units, or for modest amounts of gain.

A note on grounding: the DM-3100X's internal voltage reference source is biased against the internal negative supply rail (EXT. REF. LO). Note that this is *not* the same electrical connection as the 5V Power Common connection. Refer to the Simplified Block Diagram.

Because of this configuration, external reference sources should be isolated from the 5V Power Common and should have the Reference Lo Output from the external source connected to the negative supply rail.




DIGITAL OHMMETER CONNECTIONS

The digital ohmmeter circuit uses the DM-3100X's ratiometric capability. An external reference resistor of known resistance, accuracy, and temperature drift is connected in series with the unknown resistance. A constant, stable voltage from the DPM's internal reference diode is applied to the resistor

pair to produce a constant current. This current develops two voltage drops across the resistors which are proportional only to the ratio of the resistances since the current through them is identical.

The chart below lists recommended R_{REF} and R_{LIMIT} resistance values corresponding to different ohmmeter ranges. Values of R_{LIMIT} were selected to limit the current through R_{REF} and R_x to 1 milliampere maximum.



RANGE RESOLUTION DECIMAL POINT RUMIT¹ Rapp¹ 19.99 MΩ 10 kΩ 22 MΩ 10 MΩ A11 to B13 1.999 MQ 1 kΩ 3.6 MQ 1 MΩ A 12 to B13 199.9 kΩ 100 Q 360 kΩ 100 kQ A10 to B13 19.99 kΩ 10 Ω 36 kΩ 10 kΩ A11 to B13 1 999 kO 10 6.2 kQ 1 40 A12 to B13

1. ^BLimit and ^BRef should be metal film, High Stability Resistors (AS RN60C).

 $DISPLAY = -\frac{E_{av}}{V_{arr}} \times 1V = -\frac{IR_{x}}{IR_{arr}} \times 1V = -\frac{R_{x}}{R_{arr}} \times 1V$



DM-3100x 3-1/2 Digit Micropowered LCD Digital Panel Meter

Murata Power Solutions, Inc. 11 Cabot Boulevard, Mansfield, MA 02048-1151 U.S.A. ISO 9001 and 14001 REGISTERED



This product is subject to the following <u>operating requirements</u> and the <u>Life and Safety Critical Application Sales Policy</u>: Refer to: <u>http://www.murata-ps.com/requirements/</u>

Murata Power Solutions, Inc. makes no representation that the use of its products in the circuits described herein, or the use of other technical information contained herein, will not infringe upon existing or future patent rights. The descriptions contained herein do not imply the granting of licenses to make, use, or sell equipment constructed in accordance therewith. Specifications are subject to change without notice. © 2012 Murata Power Solutions, Inc.