

1 (4)

APPLICATION NOTE



SCA11H DATALOGGER SAMPLE CODE



General Description

This document describes a simple method for logging data output of the SCA11H BCG sensor node. The method is described based on Python example code, which is included at the end of this document.

The example code logs the data output of the BCG node in to a .txt file. It can log both BCG and raw data outputs. The code functions only when the BCG is working in local mode. For cloud mode data logging, see Flask server documentation.

The code includes a SSDP search function (ssdpSearch()) that will search the current network for any connected nodes. It is described further in the SSDP discovery documentation provided elsewhere.

Data format

BCG data

20,68,16,47,143,2021,1,595,456,0(CR) (CR,LF) 21,68,16,47,143,1055,1,595,456,0(CR) (CR,LF)

Raw data

025a,025a,025b,025b,025b,025c,025c,025c,



3 (4)

Example Python code

THIS SOFTWARE IS PROVIDED BY MURATA "AS IS" AND # ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

www.murata.com

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS

FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE # MURATA BE LIABLE FOR ANY DIRECT, INDIRECT, # INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES # (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR # SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) # HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, # STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING # IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE # POSSIBILITY OF SUCH DAMAGE. # Python 3.x import msvcrt # Windows only! import socket import time import datetime REPEAT = 10def ssdpSearch(): print("Starting SSDP Search. 10 seconds.") UDP_IP = '<broadcast>' UDP_PORT = 2000 UDP_MESSAGE = '{"type":"SCS-DISCOVER", "hostname":"Host-SCS"}' networks = socket.gethostbyname_ex(socket.gethostname())[2] # Find all networks (i.e, wifi, wired) sockets = [] for net in networks: # Connect to all networks sock = socket.socket(socket.AF_INET, socket.SOCK_DGRAM) # UDP sock.setsockopt(socket.SOL_SOCKET, socket.SO_BROADCAST, 1) # Allow broadcast sock.bind((net, UDP_PORT)) # Connect # Set timeout (if no answer when reading) sock.settimeout(1.0) # Save "sock" to sockets sockets.append(sock) timeStart = time.time()
devices = [] print('Found devices:') time.sleep(0.1) while time.time() - timeStart < REPEAT: for sock in sockets: try: sock.sendto(UDP_MESSAGE.encode(), (UDP_IP, UDP_PORT)) data, addr = sock.recvfrom(1024)
data = data.decode() data = data[1:].split(',')
if data[0] == '"type":"SCS-NOTIFY"': # Only accept correct responses oldDevice = 0 # print(data) for dev in devices:
 if dev[0] == data[1]: oldDevice = 1 if not oldDevice: devices.append([data[1],data[2]]) # Save found devices print('\t' + data[1] + ' ' + data[2]) except: 1 time.sleep(0.2) if not len(devices): print('\tNo devices found.') print('') for sock in sockets: sock.close() def readLine(s): # Function to read status from BCG data line = s.recv(1024).decode() return line def main(): print('BCG Data Logger\nLogs either raw data or BCG algorithm data to a file $\$ depending on configured mode. ') # Open file IP = input('Insert IP address (empty for SSDP): ') while len(IP) == 0: ssdpSearch() IP = input('Insert IP address (empty for SSDP): ') PORT = 8080 Murata Electronics Oy SCA11H Doc.No. 3740



4 (4)

Rev.	Date	Change Description
1	9-June-17	First version of document.