

Note: This datasheet may be out of date. Please download the latest datasheet of LQP03TQ0N6W02# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=LQP03TQ0N6W02%23

### "#"at the end indicates the package specification code.

Size Code 0603 (0201) in mm (in inch), High Q


LQP03TQ0N6W02#



< List of part numbers with package codes > LQP03TQ0N6W02B LQP03TQ0N6W02D LQP03TQ0N6W02J

## Applications

| Unsuitable   | Please be sure to read and comply with     |  |
|--------------|--|--|
| Applications | these "Precautions for use."               |  |
|              | Consumer equipment,Medical                 |  |
|              | equipment [GHTF A/B/C] except for          |  |
|              | implant & surgery & auto injector,         |  |
|              | Industrial equipment except for            |  |
|              | transportation & facility & energy         |  |
|              | equipment                                  |  |
| Specific     | Please refer to Our Website and            |  |
| Applications | specifications, etc. for information about |  |
|              | the performance, functions, quality,       |  |
|              | management, and safety required for        |  |
|              | the above applications, and use            |  |
|              | Products after confirming the              |  |
|              | performance and reliability of the actual  |  |
|              | Product.                                   |  |
| Recommended  | Consumer equipment                         |  |
| Applications |  |  |



1 of 4

#### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





LQP03TQ0N6W02#

Note: This datasheet may be out of date. Please download the latest datasheet of LQP03TQ0N6W02# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=LQP03TQ0N6W02%23

"#"at the end indicates the package specification code.



### References

| Packaging | Specifications   | Standard<br>Packing<br>Quantity |
|-----------|------------------|---------------------------------|
| В         | Bulk(Bag)        | 500                             |
| D         | 180mm Paper Tape | 15000                           |
| J         | 330mm Paper Tape | 50000                           |

| Mass (typ.) |       |
|-------------|-------|
| 1 piece     | 0.2mg |

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

2 of 4



# LQP03TQ0N6W02#

Note: This datasheet may be out of date. Please download the latest datasheet of LQP03TQ0N6W02# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=LQP03TQ0N6W02%23

"#"at the end indicates the package specification code.



## Specifications

| L size   | 0.6±0.03mm   |
|--|--------------|
| W size   | 0.3±0.03mm   |
| T size   | 0.3±0.02mm   |
| Size code inch (mm)                                  | 0201 (0603)  |
| Inductance   | 0.6nH±0.05nH |
| Inductance Test Frequency                            | 500MHz       |
| Rated current (Itemp)<br>(Based on Temperature rise) | 1000mA       |
| Max. of DC resistance                                | 0.05Ω        |
| Class of magnetic shield                             | Non-Shielded |
| Q(min.)  | 17           |
| Q Test Frequency                                     | 500MHz       |
| Self resonance frequency<br>(min.)                   | 20000MHz     |
| Brand  | Murata       |
| Operating Temperature<br>Range                       | -55℃ to 125℃ |
| Series   | LQP03TQ_02   |

3 of 4

### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Product Search Data Sheet

Note: This datasheet may be out of date. Please download the latest datasheet of LQP03TQ0N6W02# from the official website of Murata Manufacturing Co., Ltd.


http://www.murata.com/en-gb/products/productdetail?partno=LQP03TQ0N6W02%23


"#"at the end indicates the package specification code.


## Characteristic Data

LQP03TQ0N6W02#

The charts below may show another part number which shares its characteristics.







4 of 4

### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering

