

Note: This datasheet may be out of date.

Please download the latest datasheet of DMR30-DCA1-1-DC4-R-C from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=DMR30-DCA1-1-DC4-R-C

DMR30-DCA1-1-DC4-R-C







Applications

| Unsuitable | Please be sure to read and comply with |
|--------------|--|
| Applications | these "Precautions for use." |
| | Consumer equipment,Industrial |
| | Equipment |
| | Please refer to Our Website and |
| | specifications, etc. for information about |
| Specific | the performance, functions, quality, |
| Applications | management, and safety required for |
| | the above applications, and use |
| | Products after confirming the |
| | performance and reliability of the actual |
| | Product. |



Features

DC shunt Ammeter, alarm output, red display



Appearance & Shape



1 of 2

Attention

- 1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
- $2. This \ data{sheet has only typical specifications because there is no \ space for \ detailed \ specifications.}$
- Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Note: This datasheet may be out of date. Please download the latest datasheet of DMR30-DCA1-1-DC4-R-C from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-gb/products/productdetail?partno=DMR30-DCA1-1-DC4-R-Called and the complex of the co

DMR30-DCA1-1-DC4-R-C



Specifications

| Productseries | DMR30-DCA1 |
|---------------------------------|---|
| Product Series Features | DMR30-DCA1 |
| Measuring Range(DCA) | 1A to 1200A |
| Display Type | LED |
| Color | Red |
| Number of Digits | 4 |
| Digit Height (mm) | 11.4mm |
| Power Supply Type | DC Powered |
| Power Supply(DCV) | 9V to 32V |
| DC Power Supply Current (mA)Max | 24mA |
| Operatingtemperature(degC) | 0°C to 50°C |
| Humidity | 0% to 85% |
| Measurment Type | Supports external shunt resistors from 1A to 1,200A |
| Mounting Type | Panel Mount |
| Accuracy | 0.2% F.S Max |
| Case Material | Polycarbonate |
| Configurable DPM | Yes |
| Daylight Readable | Yes |
| Digit Height (inch) | 0.45inch |
| Input Impedance (MΩ) | 0.01ΜΩ |
| Input Protection | ±30V |
| Recomended Shunt | See Data Sheet for recommended shunt |
| Recomended Shunt Description | Murata Shunt Resistors |

| Update Rate (samples /sec) | 2.5 |
|----------------------------|------|
| Weight (g) | 64g |
| Weight (oz) | 2.23 |

2 of 2

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

