Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current.

Please download the latest datasheet of MYMGA5R03ECLA5RA from the official website of Murata

http://www.murata.com/en/products/productdetail?partno=MYMGA5R03ECLA5R/

MYMGA5R03ECLA5RA

8V to 28.8V input voltage, 3.5A, Buck Converter with 120degC Tj











Applications

Unsuitable	Please be sure to read and comply with	
Applications	these "Precautions for use."	
	Consumer equipment,Industrial	
	Equipment	
	Please refer to Our Website and	
	specifications, etc. for information about	
Specific	the performance, functions, quality,	
Applications	management, and safety required for	
	the above applications, and use	
	Products after confirming the	
	performance and reliability of the actual	
	Product.	
	Processor [ASIC / FPGA / xPU],Optical	
Recommended	Backbone network,Optical Module,	
Applications	Server,Storage,Switch,Base Station,	
	Industrial Equipment	



Features

Input voltage ranges from 8.0 to 28.8V(Absolute maximum input

voltage: 40.0V)

Settable output voltage from 3.3 to 5.0V

Up to 4A of output current(8.0-16.0Vin: 4A, 16.0-28.8Vin: 3.5A)

Quick response to load change

Size 10.5 x 9.0 x 5.6mm

High efficiency of 93% (24.0Vin/5.0Vout/3.5Aout)

Over Current protection (OCP) On/Off control (Positive logic) Power Good (PGOOD) signal



Appearance & Shape





1 of 2

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

 $2. This \ data{sheet has only typical specifications because there is no \ space for \ detailed \ specifications.}$

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering





Product Search Data Sheet

Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current. Please download the latest datasheet of MYMGA5R03ECLA5RA from the official website of Murata

MYMGA5R03ECLA5RA



Specifications

lout(A)Max	3.5A
Vin(V)	8V to 28.8V
Vin(V)typ	24V
Vout(V)	3.3V to 5V
Vout(V)typ	5V
LineRegulation (%)	-1.5% to 1.5%
LoadRegulation (%)	-0.5% to 0.5%
Outputs (#)	1
Efficiency (%)	93%
Switching frequency (kHz)	400kHz
Size(mm)W	9.0mm
Size(mm)L	10.5mm
Size(mm)T	5.6mm
Operatingtemperature(degC)	-40°C to 115°C
Package	SMD
Туре	Buck(Step-down)
Productseries	MYMGA
Brand	Murata

2 of 2

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

