

Product Search Data Sheet

information provided may not be the most current. Please download the latest datasheet of DE11XKX150JJ4BC05F from the official website of Murata

Note: If you have not downloaded this document from our official website, please note that the

DE11XKX150JJ4BC05F















Applications

Unsuitable	Please be sure to read and comply with
Applications	these "Precautions for use."
Specific Applications	Consumer equipment,Industrial
	Equipment,Mobile Electronics,Medical
	equipment [GHTF A/B/C] except for
	implant equipment,Automotive
	infotainment/comfort equipment
	Please refer to Our Website and
	specifications, etc. for information about
	the performance, functions, quality,
	management, and safety required for
	the above applications, and use
	Products after confirming the
	performance and reliability of the actual
	Product.



Notices

Please use replacements or Recommended. X1/Y1 Class Certified Products、 Halogen-free **Products**



References


Packaging	Specifications	Standard Packing Quantity
В	Bulk(Bag)	500

Mass (typ.)	
1 piece	0.42g



Appearance & Shape





1 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Product Search Data Sheet information provided may not be the most current.

Please download the latest datasheet of DE11XKX150JJ4BC05F from the official website of Murata

Note: If you have not downloaded this document from our official website, please note that the

DE11XKX150JJ4BC05F



Specifications

L size or Outer diameter D	9.0mm max.	
T size	8.0mm max.	
Lead spacing F	10.0±0.8mm	
Lead diameter d	0.6±0.05mm	
Paint dripping e	Up to the end of crimp	
Capacitance	15pF ±5%	
Rated voltage	250Vac(r.m.s.)	
Temperature characteristics	SL(JIS)	
Tomporature range of		
Temperature range of	20°C to 85°C	
temperature characteristics		
Operating Temperature	-40℃ to 125℃	
Range		
TC	+350 to -1000ppm/°C	
	1000 to 1000ppiiii C	

2 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current.


Please download the latest datasheet of DE11XKX150JJ4BC05F from the official website of Murata


DE11XKX150JJ4BC05F





Characteristic Data

The charts below may show another part number which shares its characteristics.









3 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering




Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current.


Please download the latest datasheet of DE11XKX150JJ4BC05F from the official website of Murata

http://www.murata.com/en/products/productdetail?partno=DE11XKX150JJ4BC05

DE11XKX150JJ4BC05F



DE11XKX150JJ4BCO5F C-Temp. capchange, DCOV,



DE11XKX150JJ4BCO5F S21 DCOV,20degC

4 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

