

Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current.

Please download the latest datasheet of RDED72E474K5E1H03A from the official website of Murata

RDED72E474K5E1H03A






















Applications

Unsuitable	Please be sure to read and comply with
Applications	these "Precautions for use."
Specific Applications	Consumer equipment,Industrial
	Equipment,Mobile Electronics,Medical
	equipment [GHTF A/B/C] except for
	implant equipment,Automotive
	infotainment/comfort equipment
	Please refer to Our Website and
	specifications, etc. for information about
	the performance, functions, quality,
	management, and safety required for
	the above applications, and use
	Products after confirming the
	performance and reliability of the actual
	Product.



Notices


HF(Halogen Free)





Appearance & Shape







References

	Specifications	Standard
Packaging		Packing
		Quantity
А	Ammo Pack	1500

Mass (typ.)	
1 piece	0.48g

1 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Note: If you have not downloaded this document from our official website, please note that the Sheet information provided may not be the most current.

Please download the latest datasheet of RDED72E474K5E1H03A from the official website of Murata

http://www.murata.com/en/products/productdetail?partno=RDED72E474K5E1H03

RDED72E474K5E1H03A



Specifications

L size or Outer diameter D	7.5mm max.	
Width	7.5mm max.	
T size	4.5mm max.	
Lead spacing F	5.0+0.6/-0.2mm	
Lead diameter d	0.5±0.05mm	
Capacitance	0.47µF ±10%	
Rated voltage	250Vdc	
Temperature characteristics	X7T(EIA)	
Capacitance change rate	+22/-33%	
Temperature range of	55051 40505	
temperature characteristics	-55°C to 125°C	
Operating Temperature	-55°C to 125°C	
Range		

2 of 4

Attention

1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.




http://www.murata.com/en/products/productdetail?partno=RDED72E474K5E1H03.


RDED72E474K5E1H03A





Characteristic Data

The charts below may show another part number which shares its characteristics.









RDED72E474K5E1H03A C-AC Voltage capchange, I

3 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering




Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current.


Please download the latest datasheet of RDED72E474K5E1H03A from the official website of Murata

http://www.murata.com/en/products/productdetail?partno=RDED72E474K5E1H03/

RDED72E474K5E1H03A



RDED72E474K5E1HO3A C-Temp. capchange, DCOV,



RDED72E474K5E1H03A S21 DCOV,25degC

4 of 4

Attention

1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

