

Product Search Data Sheet

## IRH-12/21-W80NB-C

In Production Recommended

ed RoHS

## Applications

Unsuitable	Please be sure to read and comply with	
Applications	these "Precautions for use."	
	Consumer equipment,Industrial	
	Equipment	
	Please refer to Our Website and	
	specifications, etc. for information about	
Specific	the performance, functions, quality,	
Applications	management, and safety required for	
	the above applications, and use	
	Products after confirming the	
	performance and reliability of the actual	
	Product.	





Note: This datasheet may be out of date. Please download the latest datasheet of IRH-12/21-W80NB-C from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-sg/products/productdetail?partno=IRH-12%2f21-W80NB-C



250W, 12Vo/21A, 16V-160Vin, Isolated DC-DC Converter, Negative Logic, Meets requirements for EN50155

1 of 2

### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Product Search Data Sheet

# IRH-12/21-W80NB-C

Note: This datasheet may be out of date. Please download the latest datasheet of IRH-12/21-W80NB-C from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-sg/products/productdetail?partno=IRH-12%2f21-W80NB-C



### Specifications

Output power (W)Max	250W
Vin(V)	16V to 160V
Vin(V)typ	72V
Vout(V)	12V
Vout(V)typ	12V
LineRegulation (%)	-0.2% to 0.2%
LoadRegulation (%)	-0.2% to 0.2%
Isolation Voltage (V)	4242V
Efficiency (%)	91%
Size(mm)W	60.7mm
Size(mm)L	63.2mm
Size(mm)T	14.0mm
Operatingtemperature(degC)	-40°C to 85°C
Outputs (#)	1
lout(A)Max	21A
Form	1/2 Brick
Package	DIP
Productseries	IRH-W80
Product Series Features	250W 10:1 Ultra Wide Input Encapsulated Half-Brick Isolated DC-DC Converter for Railway
Regulation	Regulated
Safety Approval	UL 60950-1, IEC/EN60950-1, 2nd Edition
Brand	Murata Power Solutions

2 of 2

#### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

