



Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current. Please download the latest datasheet of DE11XKX150JJ4BC05F from the official website of Murata

http://www.murata.com/en-sg/products/productdetail?partno=DE11XKX150JJ4BC05F

DE11XKX150JJ4BC05F













Applications

Unsuitable	Please be sure to read and comply with
Applications	these "Precautions for use."
	Consumer equipment,Industrial
	Equipment,Mobile Electronics,Medical
	equipment [GHTF A/B/C] except for
	implant equipment,Automotive
	infotainment/comfort equipment
Specific	Please refer to Our Website and
Specific Applications	specifications, etc. for information about
	the performance, functions, quality,
	management, and safety required for
	the above applications, and use
	Products after confirming the
	performance and reliability of the actual
	Product.



Notices

Please use replacements or Recommended. X1/Y1 Class Certified Products、 Halogen-free **Products**



References


Packaging		Standard Packing Quantity
В	Bulk(Bag)	500

Mass (typ.)	(typ.)		
1 piece	0.42g		



Appearance & Shape





1 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current. Please download the latest datasheet of DE11XKX150JJ4BC05F from the official website of Murata

DE11XKX150JJ4BC05F



Specifications

L size or Outer diameter D	9.0mm max.
T size	8.0mm max.
Lead spacing F	10.0±0.8mm
Lead diameter d	0.6±0.05mm
D : () :	
Paint dripping e	Up to the end of crimp
Capacitance	15pF ±5%
	'
Rated voltage	250Vac(r.m.s.)
Temperature characteristics	SL(JIS)
Temperature range of	
temperature characteristics	20°C to 85°C
Operating Temperature	
	-40°C to 125°C
Range	
TC	+350 to -1000ppm/°C

2 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current.


Please download the latest datasheet of DE11XKX150JJ4BC05F from the official website of Murata


DE11XKX150JJ4BC05F





Characteristic Data

The charts below may show another part number which shares its characteristics.









DE11XKX150JJ4BCO5F C-AC Voltage capchange, I

3 of 4

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering






Product Search Data Sheet

Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current.


Please download the latest datasheet of DE11XKX150JJ4BC05F from the official website of Murata

http://www.murata.com/en-sg/products/productdetail?partno=DE11XKX150JJ4BC05F

DE11XKX150JJ4BC05F



DE11XKX150JJ4BCO5F C-Temp. capchange, DCOV,



DE11XKX150JJ4BCO5F S21 DCOV,20degC

4 of 4

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

