

Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current. Please download the latest datasheet of GRM188C71C475KE21# from the official website of Murata

"#"at the end indicates the package specification code.

GRM188C71C475KE21D













< List of part numbers with package codes > GRM188C71C475KE21D GRM188C71C475KE21W GRM188C71C475KE21V

GRM188C71C475KE21J



Applications

| Unsuitable | Please be sure to read and comply with |
|--------------|---|
| Applications | these "Precautions for use." |
| | ' ' |
| | Products after confirming the |
| | performance and reliability of the actual |
| | Product. |



References

| Packaging | Specifications | Standard Packing Quantity |
|-----------|--------------------------------|---------------------------------|
| D | φ180mm Reel Paper Tape | 4000 |
| W | φ180mm Reel W8P2 Paper Tape | 8000 |
| J | φ330mm Reel Paper Tape | 10000 |
| V | φ330mm Reel W8P2 Paper Tape | 30000 |

| Mass (typ.) | |
|-------------|-------|
| 1 piece | 9.1mg |



Appearance & Shape





1 of 2

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





GRM188C71C475KE21D

Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current.

Please download the latest datasheet of GRM188C71C475KE21# from the official website of Murata

http://www.murata.com/en-sg/products/productdetail?partno=GRM188C71C475KE21%2

"#"at the end indicates the package specification code.



Specifications

| Length | 1.6±0.2mm |
|--|----------------|
| Width | 0.8±0.2mm |
| Thickness | 0.8±0.2mm |
| Capacitance | 4.7μF ±10% |
| Distance between external terminals g | 0.6mm min. |
| External terminal size e | 0.2 to 0.55mm |
| Operating Temperature Range | -55°C to 125°C |
| Rated Voltage | 16Vdc |
| Size code in inch(mm) | 0603 (1608M) |
| Capacitance change rate | ±22.0% |
| Temperature characteristics (complied standard) | X7S(EIA) |
| Temperature range of temperature characteristics | -55°C to 125°C |

2 of 2

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

