

Product Search Data Sheet

LFD182G45MJ5E355


In Production Recommended RoHS REACH

Applications

	I
Unsuitable	Please be sure to read and comply with
Applications	these "Precautions for use."
Specific Applications	Consumer equipment,Industrial
	Equipment,Medical equipment [GHTF
	A/B],Mobile Electronics
	Please refer to Our Website and
	specifications, etc. for information about
	the performance, functions, quality,
	management, and safety required for
	the above applications, and use
	Products after confirming the
	performance and reliability of the actual
	Product.
Recommended Applications	Consumer equipment,Industrial
	Equipment,Medical equipment [GHTF
	A/B],Mobile Electronics



Appearance & Shape



Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current.

Please download the latest datasheet of LFD182G45MJ5E355 from the official website of Murata

http://www.murata.com/en-us/products/productdetail?partno=LFD182G45MJ5E355

Packaging Information

Packaging	Specifications	Standard Packing Quantity
-	180mm Paper Tape	4000



Adiplexer branching low and high band.

- 1. Low insertion loss.
- 2. Small size, low-profiled and light weight.
- 3. Absolutely no adjustment required.
- 4. Reflow solderable.

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





LFD182G45MJ5E355

Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current.

Please download the latest datasheet of LFD182G45MJ5E355 from the official website of Murata

http://www.murata.com/en-us/products/productdetail?partno=LFD182G45MJ5E355

Specifications

Applications	WLAN
Center Frequency(f1)	5425.00MHz
Frequency Range(f1)	4900.00MHz to 5950.00MHz
Center Frequency(f2)	2450.00MHz
Frequency Range(f2)	2400.00MHz to 2500.00MHz
Insertion Loss I)(in f1)	0.70dB max. (at 25°C)
Insertion Loss II)(in f1)	0.80dB max. (-40 ~ +85°C)
Insertion Loss I)(in f2)	0.60dB max. (at 25°C)
Insertion Loss II)(in f2)	0.65dB max. (-40 ~ +85°C)
VSWR{P1}(in f1)	1.80 max.
VSWR{P2}(in f2)	1.80 max.
VSWR{P3}(in f1,f2)	1.80 max.
Power Capacity	2W
Operating Temperature Range	-40°C to 85°C
L x W (size)	1.60x0.80mm
Thickness(max.)	0.7mm

2 of 2

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

