

# GRM153R60J105ME15J

Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current.

Please download the latest datasheet of GRM153R60J105ME15# from the official website of Murata

http://www.murata.com/en-us/products/productdetail?partno=GRM153R60J105ME15%23

"#"at the end indicates the package specification code.













< List of part numbers with package codes > GRM153R60J105ME15D GRM153R60J105ME15J



## **Applications**

Unsuitable	Please be sure to read and comply with
Applications	these "Precautions for use."
Applications  Specific Applications	. ,
	management, and safety required for the above applications, and use Products after confirming the performance and reliability of the actual
	Product.



### **Notices**

Derating1. Measure capacitance after heat treatment




### References

Packaging	Specifications	Standard Packing
		Quantity
D	φ180mm Reel Paper Tape	10000
J	φ330mm Reel Paper Tape	50000



## Appearance & Shape





Mass (typ.)	
1 piece	1.0mg

1 of 2

#### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





# GRM153R60J105ME15J

Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current.

Please download the latest datasheet of GRM153R60J105ME15# from the official website of Murata

http://www.murata.com/en-us/products/productdetail?partno=GRM153R60J105ME15%2

"#"at the end indicates the package specification code.



# **Specifications**

Length	1.0±0.05mm
Width	0.5±0.05mm
Thickness	0.3±0.03mm
Capacitance	1.0µF ±20%
Distance between external terminals g	0.4mm min.
External terminal size e	0.1 to 0.3mm
Operating Temperature Range	-55°C to 85°C
Rated Voltage	6.3Vdc
Size code in inch(mm)	0402 (1005M)
Capacitance change rate	±15.0%
Temperature characteristics (complied standard)	X5R(EIA)
Temperature range of temperature characteristics	-55°C to 85°C

2 of 2

#### Attention

1.This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

